

TEST REPORT

Applicant: Flashbay Electronics
Address: Building2 ,Jixun Industrial Park ,Xinjiao ,Dong'ao Village ,Shatian Town ,Huiyang District ,Huizhou City , Guangdong Province,P.R.China

The following sample(s) was/were submitted and identified on behalf of the client as:

Product name: Drones,LED Torches,Light
Model: BEE, LM, AUR
Manufacturer& Factory: Flashbay Electronics
Address: Building2 ,Jixun Industrial Park ,Xinjiao ,Dong'ao Village ,Shatian Town ,Huiyang District ,Huizhou City , Guangdong Province,P.R.China

Sample No.: S231024005001 & S241025029022
Sample Received Date: 2023-10-25 & 2024-10-26
Testing Period: 2023-10-25 ~ 2023-11-21 & 2024-10-26~ 2024-12-24

Test Requirement:

As specified by client, to screen the 242 substances of very high concern(SVHC) under Regulation(EC) No 1907/2006 of REACH in the submitted sample(s).

Summary:

According to the specified scope and evaluation screening, the concentrations of 242 SVHC are $\leq 0.1\%$ (w/w) in the submitted sample(s).

Test Method: Please refer to the following page(s);

Test Result(s): Please refer to the following page(s);

Compiled by: Nina Car Reviewed by: Luetta Mo

Approved by: May Li Date: 2024-12-27

Sample Description:

No.	Sample name	Description
1		White plastic with black lettering(shell,air vehicle,BEE)
2		Black plastic shell(shell,air vehicle,BEE)
3		Black plastic fan blade(shell,air vehicle,BEE)
4		Black plastic cover(shell,air vehicle,BEE)
5		Silvery metal screw(shell,air vehicle,BEE)
6		Silvery metal shell(motor,air vehicle,BEE)
7		Silvery metal rod(motor,air vehicle,BEE)
8		Cupreous metal coil(motor,air vehicle,BEE)
9		Silvery metal sheet(motor,air vehicle,BEE)
10		Grey colloid(motor,air vehicle,BEE)
11		Magnet(motor,air vehicle,BEE)
12		Silvery metal shaft(motor,air vehicle,BEE)
13		Grey plastic(motor,air vehicle,BEE)
14		Metal contact pin(motor,air vehicle,BEE)
15		Red wire jacket(motor,air vehicle,BEE)
16		Black wire jacket(motor,air vehicle,BEE)
17		White wire jacket(motor,air vehicle,BEE)
18		Blue wire jacket(motor,air vehicle,BEE)
19	Drones (BEE)	Core of wire(motor,air vehicle,BEE)
20		Blue PCBA(mixed test)(PCBA,air vehicle,BEE)
21		Black plastic button(button,PCBA,air vehicle,BEE)
22		Silvery metal shell(button,PCBA,air vehicle,BEE)
23		Black plastic(button,PCBA,air vehicle,BEE)
24		Metal shrapnel(button,PCBA,air vehicle,BEE)
25		Black plastic(light-emitting diode,PCBA,air vehicle,BEE)
26		Transparent lamp body(light-emitting diode,PCBA,air vehicle,BEE)
27		Metal pin(light-emitting diode,PCBA,air vehicle,BEE)
28		Black casing tube(light-emitting diode,PCBA,air vehicle,BEE)
29		Black plastic(black interface,PCBA,air vehicle,BEE)
30		Metal plug pin(black interface,PCBA,air vehicle,BEE)
31		Transparent wire jacket(antenna,PCBA,air vehicle,BEE)
32		Core of wire(antenna,PCBA,air vehicle,BEE)
33		Black plastic(light-emitting diode,air vehicle,BEE)
34		Transparent lamp body(light-emitting diode,air vehicle,BEE)
35		Metal pin(light-emitting diode,air vehicle,BEE)
36		Red wire jacket(light-emitting diode,air vehicle,BEE)
37		White wire jacket(light-emitting diode,air vehicle,BEE)

No.	Sample name	Description
38	Drones (BEE)	Core of wire(light-emitting diode,air vehicle,BEE)
39	LED Torches (AUR)	Black exterior wire jacket(remote control,AUR)
40		White inner wire jacket(remote control,AUR)
41		Red inner wire jacket(remote control,AUR)
42		Black inner wire jacket(remote control,AUR)
43		Core of wire(remote control,AUR)
44		Black encapsulation (shell,USB cable,AUR)
45		Black colloid (shell,USB cable,AUR)
46		Green PCBA(mixed test)(PCBA,USB cable,AUR)
47		Magnet core(inductor,PCBA,USB cable,AUR)
48		Coil(inductor,PCBA,USB cable,AUR)
49		Silvery metal shell(USB interface,PCBA,USB cable,AUR)
50		White plastic(USB interface,PCBA,USB cable,AUR)
51		Metal plug pin(USB interface,PCBA,USB cable,AUR)
52		Black exterior wire jacket(USB cable,AUR)
53		Black inner wire jacket(USB cable,AUR)
54		Red inner wire jacket(USB cable,AUR)
55		Core of wire(USB cable,AUR)
56	Drones (BEE)	Black plastic shell(shell,remote control,BEE)
57		Black plastic button(big)(shell,remote control,BEE)
58		Black plastic button(small)(shell,remote control,BEE)
59		Silvery metal screw(shell,remote control,BEE)
60		Black plastic cover(shell,remote control,BEE)
61		Black label(shell,remote control,BEE)
62		Silvery metal spring(shell,remote control,BEE)
63		Silvery metal contact pin(shell,remote control,BEE)
64		Black wire jacket(shell,remote control,BEE)
65		Red wire jacket(shell,remote control,BEE)
66		Core of wire(shell,remote control,BEE)
67		Brown blue PCBA(mixed test)(,remote control,BEE)
68		Silvery metal shell(DWO1 switch,PCBA,remote control,BEE)
69		Silvery metal rod(DWO1 switch,PCBA,remote control,BEE)
70		Golden metal clasp(DWO1 switch,PCBA,remote control,BEE)
71		White plastic clasp(DWO1 switch,PCBA,remote control,BEE)
72		White plastic pedestal(DWO1 switch,PCBA,remote control,BEE)
73		Silvery metal spring(DWO1 switch,PCBA,remote control,BEE)
74	Black plastic pedestal(DWO1 switch,PCBA,remote control,BEE)	

No.	Sample name	Description
75	Drones (BEE)	Green plastic(DWO1 switch,PCBA,remote control,BEE)
76		Brown plastic(DWO1 switch,PCBA,remote control,BEE)
77		Silvery metal contact pin(DWO1 switch,PCBA,remote control,BEE)
78		Black plastic button(DWO1 switch,PCBA,remote control,BEE)
79		Silvery metal sheet(DWO1 switch,PCBA,remote control,BEE)
80		Black plastic shell(DWO1 switch,PCBA,remote control,BEE)
81		Metal shrapnel(DWO1 switch,PCBA,remote control,BEE)
82		White label(label,PCBA,remote control,BEE)
83		Transparent wire jacket(antenna,PCBA,remote control,BEE)
84		Core of wire(antenna,PCBA,remote control,BEE)
85		Black plastic button(K2 button,PCBA,remote control,BEE)
86		Silvery metal shell(K2 button,PCBA,remote control,BEE)
87		Black plastic shell(K2 button,PCBA,remote control,BEE)
88		Metal shrapnel(K2 button,PCBA,remote control,BEE)
89		Black plastic button(K3 button,PCBA,remote control,BEE)
90		Silvery metal shell(K3 button,PCBA,remote control,BEE)
91		Black plastic shell(K3 button,PCBA,remote control,BEE)
92		Metal shrapnel(K3 button,PCBA,remote control,BEE)
93		Black plastic(buzzer,PCBA,remote control,BEE)
94		Silvery metal disc(buzzer,PCBA,remote control,BEE)
95		Silvery metal shrapnel(buzzer,PCBA,remote control,BEE)
96		Magnet core(buzzer,PCBA,remote control,BEE)
97		Coil(buzzer,PCBA,remote control,BEE)
98		Silvery metal pedestal(buzzer,PCBA,remote control,BEE)
99		PCBA(buzzer,PCBA,remote control,BEE)
100		Black plastic jacket(C1 electrolytic capacitor,PCBA,remote control,BEE)
101		Aluminum shell(C1 electrolytic capacitor,PCBA,remote control,BEE)
102		Anode foil(C1 electrolytic capacitor,PCBA,remote control,BEE)
103		Cathode foil(C1 electrolytic capacitor,PCBA,remote control,BEE)
104		Electrolytic paper(C1 electrolytic capacitor,PCBA,remote control,BEE)
105		Rubber pad(C1 electrolytic capacitor,PCBA,remote control,BEE)
106		Electrode pin(C1 electrolytic capacitor,PCBA,remote control,BEE)
107		Red LED(light-emitting diode,PCBA,remote control,BEE)
108	Blue plastic button(light touch switch,PCBA,remote control,BEE)	
109	White plastic shell(light touch switch,PCBA,remote control,BEE)	
110	Black plastic pedestal(light touch switch,PCBA,remote control,BEE)	
111	Grey metal spring(light touch switch,PCBA,remote control,BEE)	

No.	Sample name	Description
112	Drones (BEE)	Metal pin(light touch switch,PCBA,remote control,BEE)
113		Silvery metal shell(USB interface,charging cable,BEE)
114		White plastic(USB interface,charging cable,BEE)
115		Metal plug pin(USB interface,charging cable,BEE)
116		Black encapsulation(USB interface,charging cable,BEE)
117		Silvery metal shell(micro interface,charging cable,BEE)
118		Silvery metal clasp(micro interface,charging cable,BEE)
119		Black plastic(micro interface,charging cable,BEE)
120		Metal plug pin(micro interface,charging cable,BEE)
121		Black encapsulation(micro interface,charging cable,BEE)
122		Black exterior wire jacket(charging cable,BEE)
123		White inner wire jacket(charging cable,BEE)
124		Pink inner wire jacket(charging cable,BEE)
125		Core of wire(charging cable,BEE)
126		Black plastic(screwdriver,accessory,BEE)
127		Silvery metal(screwdriver,accessory,BEE)
128		Light (LM)
129	Silvery metal shell(shell,LM)	
130	Silvery plastic(shell,LM)	
131	Silvery metal contact (shell,LM)	
132	Silvery metal spring(shell,LM)	
133	Black plastic(shell,LM)	
134	Black rubber(shell,LM)	
135	White plastic(shell,LM)	
136	Silvery metal ring(lanyard,LM)	
137	Silvery metal clip(lanyard,LM)	
138	Black cotton rope(lanyard,LM)	
139	White plastic button(push switch,LM)	
140	Black plastic bracket(push switch,LM)	
141	Black plastic shell(push switch,LM)	
142	Silvery metal pedestal(push switch,LM)	
143	Silvery metal contact pin(push switch,LM)	
144	Grey metal spring(push switch,LM)	
145	Silvery metal spring(push switch,LM)	
146	Green PCBA(mixed test)(LM)	
147	Silvery metal spring(LM)	
148	Transparent lamp body(light-emitting diode,PCBA,LM)	

No.	Sample name	Description
149	LED Torches (AUR)	Black coating(shell,AUR)
150		White plastic(shell,AUR)
151		Black plastic(shell,AUR)
152		Silvery label(shell,AUR)
153		Silvery metal screw(shell,AUR)
154		Black plastic(bracket,AUR)
155		Black rubber pad with double-sided adhesive(bracket,AUR)
156		Black foam with glue(bracket,AUR)
157		Silvery metal block(bracket,AUR)
158		Silvery metal bolt(bracket,AUR)
159		Silvery metal screw - large(bracket,AUR)
160		Silvery metal screws - medium(bracket,AUR)
161		Silvery metal screw - small(bracket,AUR)
162		White PCBA(mixed test)(AUR)
163		Black plastic sheet with printing(shell,remote control,AUR)
164		Black plastic shell(shell,remote control,AUR)
165		Transparent double-sided adhesive(shell,remote control,AUR)
166		Green PCBA(mixed test)(remote control,AUR)
167		Black plastic button(K2 button,PCBA,remote control,AUR)
168		Silvery metal shell(K2 button,PCBA,remote control,AUR)
169	Black plastic shell(K2 button,PCBA,remote control,AUR)	
170	Metal shrapnel(K2 button,PCBA,remote control,AUR)	

Group Description:

Group	No.
T1	5+6+7+9+12+14+22+24+30
T2	8+19+27+32+35+38+66+84
T3	11+47+96
T4	59+62+63+68+69+70+73+77
T5	79+81+86+88+90+92+94+95+98+111
T6	43+48+55+97+101+102+103+106+112+125
T7	113+115+117+118+120+127+129+131+132+136
T8	137+142+143+144+145+147+153+157+158+159
T9	49+51+160+161+168+170
T10	1+2+3+4+13+21+23+25+29+33
T11	10+45+116+121+156+165
T12	15+16+17+18+31+36+37+64+65
T13	26+28+34+44+50+104+107+138+148
T14	56+57+58+60+71+72+74
T15	82+152
T16	75+76+78+80+85+87+89+91+93+100
T17	39+40+41+42+52+53+54+83+122+123+124
T18	105+134+155
T19	108+109+110+114+119+126+128+130+133+135
T20	139+140+141+150+151+154+163+164+167+169
T21	149
T22	20+46+67+99+146+162+166
T23	61

Test Result(s):

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T1	T2	T3	T4	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T5	T6	T7	T8	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T9	T10	T11	T12	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T13	T14	T15	T16	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T17	T18	T19	T20	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%			RL (%)
				T21	T22	T23	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	/

All tested SVHC in candidate list:

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
I	1	Anthracene	120-12-7	204-371-1	0.050
I	2	4,4'- Diaminodiphenylmethane	101-77-9	202-974-4	0.050
I	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.050
I	4	Cobalt dichloride*	7646-79-9	231-589-4	0.010
I	5	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.010
I	6	Diarsenic trioxide*	1327-53-3	215-481-4	0.010
I	7	Sodium dichromate*	7789-12-0/ 10588-01-9	234-190-3	0.010
I	8	Musk xylene	81-15-2	201-329-4	0.050
I	9	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	204-211-0	0.050
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4/ 3194-55-6	247-148-4/ 221-695-9	0.050
I	11	ShortChain ChlorinatedParaffins(SCCPs)	85535-84-8	287-476-5	0.050
I	12	Bis(tributyltin)oxide (TBTO)*	56-35-9	200-268-0	0.050
I	13	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.010
I	14	Benzyl butyl phthalate(BBP)	85-68-7	201-622-7	0.050
I	15	Triethyl arsenate*	15606-95-8	427-700-2	0.010
II	16	^① Anthracene oil	90640-80-5	292-602-7	0.050
II	17	^① Anthracene oil, anthracene paste, distn. Lights	91995-17-4	295-278-5	0.050
II	18	^① Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.050
II	19	^① Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.050
II	20	^① Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.050
II	21	^① Coal tar pitch, high temperature	65996-93-2	266-028-2	0.050
II	22	Acrylamide	79-06-1	201-173-7	0.050
II	23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.050
II	24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.050
II	25	^② Lead chromate	7758-97-6	231-846-0	0.010
II	26	^② Lead chromate molybdate sulphateRed (C.I. Pigment Red 104)	12656-85-8	235-759-9	0.010
II	27	^② Lead sulfochromate yellow(C.I. Pigment Yellow 34)	1344-37-2	215-693-7	0.010
II	28	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	204-118-5	0.050
III	29	Trichloroethylene	79-01-6	201-167-4	0.050
III	30	^③ Boric acid*	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
III	31	^③ Disodium tetraborate, anhydrous*	1330-43-4/ 12179-04-3/ 1303-96-4	215-540-4	0.010
III	32	^③ Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	0.010
III	33	Sodium chromate*	7775-11-3	231-889-5	0.010
III	34	Potassium chromate*	7789-00-6	232-140-5	0.010
III	35	Ammonium dichromate*	7789-09-5	232-143-1	0.010
III	36	Potassium dichromate*	7778-50-9	231-906-6	0.010
IV	37	Cobalt(II) sulphate*	10124-43-3	233-334-2	0.010
IV	38	Cobalt(II) dinitrate*	10141-05-6	233-402-1	0.010
IV	39	Cobalt(II) carbonate*	513-79-1	208-169-4	0.010
IV	40	Cobalt(II) diacetate*	71-48-7	200-755-8	0.010
IV	41	2-Methoxyethanol	109-86-4	203-713-7	0.050
IV	42	2-Ethoxyethanol	110-80-5	203-804-1	0.050
IV	43	Chromium trioxide*	1333-82-0	215-607-8	0.010
IV	44	Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5/ 13530-68-2	231-801-5/ 236-881-5	0.010
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.050
V	46	Strontium chromate*	7789-06-2	232-142-6	0.010
V	47	^① 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.050
V	48	Hydrazine	7803-57-8/ 302-01-2	206-114-9	0.050
V	49	1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.050
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.050
V	51	^① 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.050
VI	52	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.010
VI	53	Potassium hydroxyoctaoxidizincatedichromate*	11103-86-9	234-329-8	0.010
VI	54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.010
VI	55	^② Aluminosilicate Refractory Ceramic Fibres (RCF) **	/	/	0.010
VI	56	^② Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	/	/	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VI	57	^① Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.050
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.050
VI	59	2-Methoxyaniline (o-Anisidine)	90-04-0	201-963-1	0.050
VI	60	4-(1,1,3,3-tetramethylbutyl)phenol (4-tert-Octylphenol)	140-66-9	205-426-2	0.050
VI	61	1,2-Dichloroethane	107-06-2	203-458-1	0.050
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.050
VI	63	Arsenic acid*	7778-39-4	231-901-9	0.010
VI	64	Calcium arsenate*	7778-44-1	231-904-5	0.010
VI	65	Trilead diarsenate*	3687-31-8	222-979-5	0.010
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.050
VI	67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.050
VI	68	Phenolphthalein	77-09-8	201-004-7	0.050
VI	69	Lead diazide*	13424-46-9	236-542-1	0.010
VI	70	Lead 2,4,6-trinitro-m-phenylene dioxide (Lead styphnate)*	15245-44-0	239-290-0	0.010
VI	71	Lead dipicrate*	6477-64-1	229-335-2	0.010
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.050
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.050
VII	74	^③ Diboron trioxide*	1303-86-2	215-125-8	0.010
VII	75	Formamide	75-12-7	200-842-0	0.050
VII	76	Lead(II) bis methanesulfonate*	17570-76-2	401-750-5	0.010
VII	77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.050
VII	78	β -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.050
VII	79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.050
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.050
VII	81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride(C.I. Basic Violet 3)	548-62-9	208-953-6	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VII	82	[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl]methylene]cycl ohexa-2,5- dien-1-ylidene] dimethylammonium chloride(C.I. Basic Blue 26)	2580-56-5	219-943-6	0.050
VII	83	α,α -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C .I. Solvent Blue 4)	6786-83-0	229-851-8	0.050
VII	84	4,4'-bis(dimethylamino)-4''-(methylamino)t rityl alcohol	561-41-1	209-218-2	0.050
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.050
VIII	86	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	/	/	0.050
VIII	87	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.050
VIII	88	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	/	/	0.050
VIII	89	Henicosafuoroundecanoic acid	2058-94-8	218-165-4	0.050
VIII	90	Pentacosafuorotridecanoic acid	72629-94-8	276-745-2	0.050
VIII	91	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane- 1,2- dicarboxylic anhydride, trans- cyclohexane-1,2-dicarboxylic anhydride	85-42-7/ 13149-00-3/ 14166-21-3	201-604-9/ 236-086-3/ 238-009-9	0.050
VIII	92	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0/ 19438-60-9/ 48122-14-1/ 57110-29-9	247-094-1/ 243-072-0/ 256-356-4/ 260-566-1	0.050
VIII	93	Heptacosafuorotetradecanoic acid	376-06-7	206-803-4	0.050
VIII	94	Diisopentylphthalate(DIPP)	605-50-5	210-088-4	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	95	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.050
VIII	96	N-pentyl-isopentylphthalate	776297-69-9	/	0.050
VIII	97	Methoxyacetic acid	625-45-6	210-894-6	0.050
VIII	98	Tricosafuorododecanoic acid	307-55-1	206-203-2	0.050
VIII	99	1,2-Diethoxyethane	629-14-1	211-076-1	0.050
VIII	100	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.050
VIII	101	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.050
VIII	102	N-methylacetamide	79-16-3	201-182-6	0.050
VIII	103	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.010
VIII	104	Biphenyl-4-ylamine	92-67-1	202-177-1	0.050
VIII	105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.050
VIII	106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.010
VIII	107	Lead dinitrate*	10099-74-8	233-245-9	0.010
VIII	108	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.010
VIII	109	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.010
VIII	110	Lead titanium trioxide*	12060-00-3	235-038-9	0.010
VIII	111	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.050
VIII	112	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.010
VIII	113	Dimethyl sulphate	77-78-1	201-058-1	0.050
VIII	114	Furan	110-00-9	203-727-3	0.050
VIII	115	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.010
VIII	116	Tetraethyllead*	78-00-2	201-075-4	0.010
VIII	117	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.010
VIII	118	Diethyl sulphate	64-67-5	200-589-6	0.050
VIII	119	Lead cyanamidate*	20837-86-9	244-073-9	0.010
VIII	120	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.010
VIII	121	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.010
VIII	122	o-Toluidine	95-53-4	202-429-0	0.050
VIII	123	o-aminoazotoluene	97-56-3	202-591-2	0.050
VIII	124	4-aminoazobenzene	60-09-3	200-453-6	0.050
VIII	125	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.050
VIII	126	Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.050
VIII	127	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.010
VIII	128	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	129	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.050
VIII	130	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.010
VIII	131	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.010
VIII	132	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.010
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.010
VIII	134	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.050
VIII	135	Lead oxide sulfate*	12036-76-9	234-853-7	0.010
VIII	136	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.010
VIII	137	Silicic acid, lead salt*	11120-22-2	234-363-3	0.010
VIII	138	N,N-dimethylformamide	68-12-2	200-679-5	0.050
IX	139	Cadmium	7440-43-9	231-152-8	0.010
IX	140	Cadmium oxide*	1306-19-0	215-146-2	0.010
IX	141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.050
IX	142	4-Nonylphenol, branched and linear, ethoxylated[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	/	/	0.050
IX	143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.050
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.050
X	145	^① Trixylyl phosphate	25155-23-1	246-677-8	0.050
X	146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.050
X	147	Dihexyl phthalate	84-75-3	201-559-5	0.050
X	148	Cadmium sulphide*	1306-23-6	215-147-8	0.010
X	149	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	0.050
X	150	Lead di(acetate)*	301-04-2	206-104-4	0.010
X	151	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	202-506-9	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.050
XI	153	Cadmium chloride	10108-64-2	233-296-7	0.010
XI	154	[®] Sodium peroxometaborate perboric acid, sodium salt*	/	239-172-9/ 234-390-0	0.010
XI	155	[®] Sodium peroxometaborate*	7632-04-4	231-556-4	0.010
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.050
XII	157	2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazole (UV-320)	3846-71-7	223-346-6	0.050
XII	158	Cadmium fluoride*	7790-79-6	232-222-0	0.010
XII	159	Cadmium sulphate*	10124-36-4/ 31119-53-6	233-331-6	0.010
XII	160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate; DOTE	15571-58-1	239-622-4	0.050
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyloxy)-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	/	/	0.050
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with \geq 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5/ 68648-93-1	271-094-0/ 272-013-1	0.050
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	/	/	0.050
XIV	164	1,3-propanesultone	1120-71-4	214-317-9	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.050
XIV	167	Nitrobenzene	98-95-3	202-716-0	0.050
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1/ 21049-39-8/ 4149-60-4	206-801-3	0.050
XV	169	Benzo[def]chrysene	50-32-8	200-028-5	0.050
XVI	170	Bisphenol(BPA)	80-05-7	201-245-8	0.050
XVI	171	4-Heptylphenol, branched and linear (substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof)	/	/	0.050
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7/ 335-76-2/ 3830-45-3	206-400-3/ 221-470-5	0.050
XVI	173	4-tert-amylphenol	80-46-6	201-280-9	0.050
XVII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	/	/	0.050
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	13560-89-9/ 135821-74-8/ 135821-03-3	/	0.050
XVIII	176	Benzo[a]anthracene	56-55-3	200-280-6	0.050
XVIII	177	Cadmium nitrate*	10325-94-7	233-710-6	0.010
XVIII	178	Cadmium carbonate*	513-78-0	208-168-9	0.010
XVIII	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.010
XVIII	180	Chrysene	218-01-9	205-923-4	0.050
XVIII	181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	/	/	0.050
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	552-30-7	209-008-0	0.050
XIX	183	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIX	184	Benzo[ghi]perylene	191-24-2	205-883-8	0.050
XIX	185	Decamethylcyclotrasiloxane (D5)	541-02-6	208-764-9	0.050
XIX	186	^③ Disodium octaborate*	12008-41-2	234-541-0	0.010
XIX	187	Dodecamethylcyclotrasiloxane (D6)	540-97-6	208-762-8	0.050
XIX	188	Ethylenediamine (EDA)	107-15-3	203-468-6	0.050
XIX	189	Lead	7439-92-1	231-100-4	0.010
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.050
XIX	191	Terphenyl, hydrogenated	61788-32-7	262-967-7	0.050
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	239-139-9	0.050
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.050
XX	194	Benzo[k]fluoranthene	207-08-9	205-916-6	0.050
XX	195	Fluoranthene	206-44-0	205-912-4	0.050
XX	196	Phenanthrene	85-01-8	201-581-5	0.050
XX	197	Pyrene	129-00-0	204-927-3	0.050
XXI	198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	/	/	0.050
XXI	199	4-tert-butylphenol	98-54-4	202-679-0	0.050
XXI	200	2-methoxyethyl acetate	110-49-6	203-772-9	0.050
XXI	201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides(covering any of their individual isomers and combinations thereof)	/	/	0.050
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.050
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.050
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	/	/	0.050
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.050
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	245-152-0	0.050
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXIV	211	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	/	/	0.050
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.050
XXV	213	2,2-bis(bromomethyl)propane 1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0/ 36483-57-5, 1522-92-5/ 96-13-9	221-967-7/ 253-057-0/ 202-480-9	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	/	/	0.050
XXV	215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.050
XXV	216	Glutaral	111-30-8	203-856-5	0.050
XXV	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	/	/	0.050
XXV	218	^③ Orthoboric acid, sodium salt (Group) *	/	/	0.010
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	/	/	0.050
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	/	/	0.050
XXVI	221	6,6'-di-tert-butyl-2,2'-methylene di-p-cresol	119-47-1	204-327-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.050
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXVIII	225	1,1'-[ethane-1,2-diylbis(oxy)bis[2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.050
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	201-236-9	0.050
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.050
XXVIII	228	® Barium diboron tetraoxide*	13701-59-2	237-222-4	0.010
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	/	/	0.050
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.050
XXVIII	231	Melamine	108-78-1	203-615-4	0.050
XXVIII	232	Perfluoroheptanoic acid and its salts	/	/	0.050
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropyl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	/	473-390-7	0.050
XXIX	234	Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	278-355-8	0.050
XXIX	235	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.050
XXX	236	2,4,6-tri-tert-butylphenol	732-26-3	211-989-5	0.050
XXX	237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol	3147-75-9	221-573-5	0.050
XXX	238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	438-340-0	0.050
XXX	239	Bumetizole	3896-11-5	223-445-4	0.050
XXX	240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	/	700-960-7	0.050
XXXI	241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	201-279-3	0.050
XXXII	242	Triphenyl phosphate (TPP)	115-86-6	204-112-2	0.050

Test Method:

With reference to NTEK in-house method, Analysis is performed by Liquid Chromatography Mass Spectrometry/ Mass Spectrometry (LC-MS/MS), Gas Chromatography and Mass Spectrometry (GC-MS), headspace GC-MS, Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), UV-Vis spectrophotometer.

Note:

1. “%” =percent by weight, 0.1% = 1000 mg/kg =1000 ppm
2. RL = Report Limit, N.D. = Not Detected (<RL), /= Not Regulated or Not Applicable
3. *: Concentration value of the substance by the conversion from the test results of certain elements. Concentration value of Bis(tributyltin)oxide by the conversion from the test results of Tributyl Tins.
4. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
5. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
6. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of therepresentative compounds are calculated based on the result of specified heavy metal elements.
7. ③: Concentration value of Boric acid; Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide, hydrate; Diboron trioxide; Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate; Disodium octaborate; Orthoboric acid, sodium salt (Group) ; Barium diboron tetraoxide is calculated by the conversion from the test results of certain elements and confirmed by appropriate solvent extraction, meanwhile the book of materials is suggested to be checked for further confirmation.
8. REACH regulations related to obligations
 - (a) The chemical analysis of SVHC is performed by means of currently available analytical Techniques against the list published by ECHA, and shall refer to <http://echa.europa.eu/web/guest/candidate-list-table>. This list is under evaluation by ECHA and may subject to change in the future;
 - (b) Concerning article(s):

Notification: In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (i) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (ii) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w);

Inform: Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a

substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance;

(c) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article. If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(d) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006.

9. In the "Key Tips for Successful Submission of SCIP Notifications" published by ECHA in December 2020, it was clarified that boron compounds (e.g. boron trioxide, boric acid, disodium tetraborate) and lead compounds (e.g. lead oxide) used in the production of glass may not be present in these forms in the final glass products, and companies are not required to submit SCIP notifications for these items and are not required to comply with the information transmission obligations under Article 33 of the REACH Regulation. However, it is the responsibility of the company to confirm that the boron and lead compounds in the production process are completely converted into glass substances.
10. As specified by client, only test the designated sample.
11. According to the same material declaration of client, sample No.1-43, 46-123, 125-130, 134-139, 142-162, 165-170 test data of 235 substances of very high concern(SVHC) and photos are from sample No.1-1-43, 46-123, 125-130, 134-139, 142-162, 165-170 of the report No. S23102400501001.

Sample photo(s):



Fig.1 (Finished photo)



Fig.2 (Finished photo)




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7



Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14



Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22



Fig.23




Fig.24




Fig.25




Fig.26




Fig.27



Fig.28



Fig.29




Fig.30

****End of Report****

The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full.