Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	/	/	0.050
XIV	164	1,3-propanesultone	1120-71-4	214-317-9	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.050
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.050
XIV	167	Nitrobenzene	98-95-3	202-716-0	0.050
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1/ 21049-39-8/ 4149-60-4	206-801-3	0.050
XV	169	Benzo[def]chrysene	50-32-8	200-028-5	0.050
XVI	170	Bisphenol(BPA)	80-05-7	201-245-8	0.050
XVI	171	4-Heptylphenol,branched andlinear(substances with a linear and/or brabched alkyl chain with a carbon number of 7 convalently bound predominantly in position 4 to phenol,covering also UVCB-and well-defined substances which include any of the individual isomers or acombination thereof)	/	/	0.050
XVI	172	Nonadecafluorodecanoic acid(PFDA) and its sodium and ammonium salts	3108-42-7/ 335-76-2/ 3830-45-3	206-400-3/ 221-470-5	0.050
XVI	173	4-tert-amylphenol	80-46-6	201-280-9	0.050
XVII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	/	/	0.050
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	13560-89-9/ 135821-74-8/ 135821-03-3	/	0.050
XVIII	176	Benzo[a]anthracene	56-55-3	200-280-6	0.050
XVIII	177	Cadmium nitrate*	10325-94-7	233-710-6	0.010
XVIII	178	Cadmium carbonate*	513-78-0	208-168-9	0.010
XVIII	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.050
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	/	/	0.050
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.050
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	245-152-0	0.050
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.050
XXIV	211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	/	/	0.050
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.050
XXV	213	2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0/ 36483-57-5, 1522-92-5/ 96-13-9	221-967-7/ 253-057-0/ 202-480-9	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	/	/	0.050
XXV	215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.050
XXV	216	Glutaral	111-30-8	203-856-5	0.050
XXV	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	/	/	0.050
XXV	218	③Orthoboric acid, sodium salt (Group) *	13840-56-7	/	0.010
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	/	/	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	/	/	0.050
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.050
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.050
XXVIII	225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.050
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	201-236-9	0.050
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.050
XXVIII	228	③Barium diboron tetraoxide*	13701-59-2	237-222-4	0.010
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	/	/	0.050
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.050
XXVIII	231	Melamine	108-78-1	203-615-4	0.050
XXVIII	232	Perfluoroheptanoic acid and its salts	/	/	0.050
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl) morpholine	/	473-390-7	0.050
XXIX	234	Diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	278-355-8	0.050
XXIX	235	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.050
XXX	236	2,4,6-tri-tert-butylphenol	732-26-3	211-989-5	0.050
XXX	237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol	3147-75-9	221-573-5	0.050
XXX	238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	438-340-0	0.050
XXX	239	Bumetrizole	3896-11-5	223-445-4	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXX	240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	/	700-960-7	0.050
XXXI	241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	201-279-3	0.050
XXXII	242	Triphenyl phosphate（TPP）	115-86-6	204-112-2	0.050
XXXIII	243	Reaction mass of: triphenylthiophosphate andtertiary butylated phenyl derivatives	192268-65-8	421-820-9	0.050
XXXIII	244	Perfluamine	338-83-0	206-420-2	0.050
XXXIII	245	Octamethyltrisiloxane	107-51-7	203-497-4	0.050
XXXIII	246	O,O,O-triphenyl phosphorothioate	597-82-0	209-909-9	0.050
XXXIII	247	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	701-118-1	0.050
XXXIV	248	Decamethyltetrasiloxane	141-62-8	205-491-7	0.050
XXXIV	249	1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane	17928-28-8	241-867-7	0.050
XXXIV	250	tetra(sodium/potassium) 7-[(E)-{2-acetamido-4-[(E)-(4-{[4-chloro-6-({2-[(4-fluoro-6-{[4-(vinylsulfonyl)phenyl]amino}-1,3,5-triazine-2-yl)amino]propyl}amino)-1,3,5-triazine-2-yl]amino}-5-sulfonato-1-naphthyl)diazenyl]-5-methoxyphenyl}diazenyl]-1,3,6-naphthalenetrisulfonate; Reactive Brown 51	--	466-490-7	0.050

Test Method:

With reference to NTEK in-house method, Analysis is performed by Liquid Chromatography Mass Spectrometry/ Mass Spectrometry (LC-MS/MS), Gas Chromatography and Mass Spectrometry (GC-MS), headspace GC-MS, Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), UV-Vis spectrophotometer.

Note:

1. "%" =percent by weight, 0.1% = 1000 mg/kg =1000 ppm
2. RL = Report Limit, N.D. = Not Detected (<RL), /= Not Regulated or Not Applicable
3. *: Concentration value of the substanceby the conversion from the test results of certain elements. Concentration value of Bis(tributyltin)oxide by the conversion from the test results of Tributyl Tins.
4. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
5. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
6. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of therepresentative compounds are calculated based on the result of specified heavy metal elements.
7. ③: Concentration value of Boric acid; Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide, hydrate; Diboron trioxide; Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate;Disodium octaborate; Orthoboric acid, sodium salt (Group) ; Barium diboron tetraoxide is calculated by the conversion from the test results of certain elements and confirmed by appropriate solvent extraction, meanwhile the book of materials is suggested to be checked for further confirmation.
8. REACH regulations related to obligations
   (a) The chemical analysis of SVHC is performed by means of currently available analytical Techniques against the list published by ECHA, and shall refer to http://echa.europa.eu/web/guest/candidate-list-table. This list is under evaluation by ECHA and may subject to change in the future;

(b) Concerning article(s):
Notification: In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (i) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (ii) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w);
Inform: Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance;
(c) Concerning material(s):
Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.
If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.
(d) Concerning substance and preparation:
If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006.

9. In the "Key Tips for Successful Submission of SCIP Notifications" published by ECHA in December 2020, it was clarified that boron compounds (e.g. boron trioxide, boric acid, disodium tetraborate) and lead compounds (e.g. lead oxide) used in the production of glass may not be present in these forms in the final glass products, and companies are not required to submit SCIP notifications for these items and are not required to comply with the information transmission obligations under Article 33 of the REACH Regulation. However, it is the responsibility of the company to confirm that the boron and lead compounds in the production process are completely converted into glass substances.

Remark:
1. As specified by client, only test the designated sample.
2. No.1,6,32,35 Resubmitted Date: Aug.21, 2025.

Sample photo(s):

Fig.1(Finished photo)

Fig.2(Finished photo)



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.11

Fig.12



Fig.13



Fig.14

****End of Report****

The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full.